

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A computer-readable medium storing a computer application workspace generation and navigation tool that comprises:

computer code within a main computer application that generates a continuous logical main application workspace that is larger in size than a physically viewable operating system desktop work area displayed on a physical computer system display, the continuous logical main application workspace comprised of a plurality of logical screen[s] areas, wherein:

each logical screen has predetermined dimensions that are coextensive with the physically viewable work area on the physical computer system display such that each logical screen has dimensions that are the same as every other logical screen; and

the logical screens are arranged contiguously in predetermined locations in the logical main application workspace such that the logical main application workspace is a single and functionally continuous logical workspace that is larger in size than the physical computer system display used to display the physically viewable work area; and

each logical screen is individually selectable for navigation within the logical main application workspace; and

computer code that displays moves, by user action, the logical main application workspace from an area displaying a currently displayed one of the logical screens in the physically viewable work area to an area displaying a selected one of the logical screens in the physically viewable work area, of the computer system display the selected area of one of the logical screens being any user selected screen area in the logical main application workspace.

2. (Currently Amended) The computer-readable medium according to claim 1, further comprising code that logically associates a plurality of sub-application

windows with respective ~~locations~~ logical screens within the logical main application workspace, the sub-application windows for displaying content of at least one open sub-application.

3. (Currently Amended) The computer-readable medium according to claim 2, further comprising code that increases the number of logical screens when, by user action, one of the sub-application windows is moved to a new location outside the current dimensions of the continuous logical main application workspace.

4. (Previously Presented) The computer-readable medium according to claim 3, wherein the code that increases the number of logical screens adds logical screens in a number that is in excess of that needed to accommodate the new location of the sub-application window.

5. (Currently Amended) The computer-readable medium according to claim 2, further comprising code that logically associates each sub-application window location with a logical screen of the continuous main application workspace in which a majority of the sub-application window is disposed.

6. (Currently Amended) The computer-readable medium according to claim 2, further comprising code that stores an arrangement of sub-application windows locations disposed within the logical main application workspace.

7. (Previously Presented) The computer-readable medium according to claim 6, further comprising code that retrieves the stored arrangement of sub-application windows.

8. (Currently Amended) The computer-readable medium according to claim 2, further comprising code that stores a layout of the continuous logical main application workspace including a number and arrangement of logical screens and relative

locations of each sub-application window within each logical screen within the continuous logical main application workspace.

9. (Previously Presented) The computer-readable medium according to claim 8, further comprising code that retrieves the stored layout.

10. (Previously Presented) The computer-readable medium according to claim 2, further comprising code that scales the continuous logical application workspace and sub-application windows to zoom the application workspace in or out.

11. (Canceled)

12. (Currently Amended) The computer-readable medium according to claim 2, further comprising code that, upon initiation of one of the sub-application windows, logically associates the sub-application window with a ~~location~~ logical screen within the continuous logical main application workspace identified by user action.

13. (Currently Amended) The computer-readable medium according to claim 12, further comprising code to provide the user with a user moveable placement means, wherein the ~~location of~~ logical screen associated with a sub-application window within the continuous logical main application workspace identified by user action corresponds to a logical screen including a location of the placement means relative to the continuous logical main application workspace.

14. (Previously Presented) The computer-readable medium according to claim 1, wherein the logical screens are contiguously arranged in a matrix.

15. (Canceled)

16. (Currently Amended) The computer-readable medium according to claim 1, further comprising code that increases the number of logical screens and a corresponding dimension of the continuous logical main application workspace in accordance with a user action.

17. (Currently Amended) The computer-readable medium according to claim 1, further comprising code that decreases the number of logical screens and a corresponding dimension of the continuous logical main application workspace in accordance with a user action.

18. (Currently Amended) The computer-readable medium according to claim 1, further comprising code that generates a navigation box that includes a representation of the continuous logical main application workspace ~~and~~ including an indication of each logical screen within the workspace.

19. (Previously Presented) The computer-readable medium according to claim 18, wherein the logical screen representations are arranged to have a topography corresponding to a topography of the logical screens.

20. (Previously Presented) The computer-readable medium according to claim 18, further comprising code that, in response to user selection of one of the screen representations in the navigation box, displays the corresponding screen on the computer system display in the physically viewable work area defined by the main computer application.

21. (Currently Amended) The computer-readable medium according to claim 18, further comprising code that logically associates a plurality of sub-application windows with respective locations within the continuous logical main application workspace, the sub-application windows for displaying content of at least one open sub-application.

22. (Currently Amended) The computer-readable medium according to claim 21, further comprising code that logically associates each sub-application window with a logical screen in which a majority of the sub-application window is disposed and code that displays an iconic representation of each sub-application window in association with the representation of the logically associated screen.

23. (Currently Amended) The computer-readable medium according to claim 22, further comprising code that moves a user selected sub-application window from a logically associated screen to another logical screen in response to user initiated movement of the corresponding iconic representation of the sub-application window in the navigation box.

24. (Currently Amended) The computer-readable medium according to claim 22, further comprising code that displays information relating to one of the sub-application windows in response to user action in connection with the iconic representation of the one of the sub-application windows in the navigation box.

25. (Previously Presented) The computer-readable medium according to claim 1, further comprising code that provides a drop down menu from which a user can select one of the plurality of logical screens for display on the computer system display in the physically viewable work area defined by the main computer application.

26. (Currently Amended) The computer-readable medium according to claim 1, wherein the code that generates the continuous logical main application workspace generates a plurality of logical application workspaces for the main computer application.

27. (Previously Presented) The computer-readable medium according to claim 1, wherein each logical screen is associated with a unique identifying feature.

28. (Previously Presented) The computer-readable medium according to claim 27, wherein the unique identifying feature is selected from a background color, a background pattern and a combination thereof.

29-34. (Canceled)

35. (Previously Presented) The computer-readable medium according to claim 13, wherein the placement means is a placement pointer having a position that defines the location within the continuous logical workspace identified by user action.

36. (Previously Presented) The computer-readable medium according to claim 13, wherein the placement means is a placement tool for marking the location within the continuous logical workspace identified by user action.

37. (Currently Amended) A method of generating a computer application workspace by executing a program stored on a computer-readable medium, comprising:

generating within a main computer application a continuous logical main application workspace that is larger in size than a physically viewable operating system desktop work area displayed on a physical computer system display, the continuous logical main application workspace comprised of a plurality of logical screen[s] areas, wherein:

each logical screen has predetermined dimensions that are coextensive with the physically viewable work area on the physical computer system display such that each logical screen has dimensions that are the same as every other logical screen; and

the logical screens are arranged contiguously in predetermined locations in the logical main application workspace such that the logical main application workspace is a single and functionally continuous logical

workspace that is larger in size than the physical computer system display used to display the physically viewable work area; and

each logical screen is individually selectable for navigation within the logical main application workspace; and

displaying moving, by user action, the logical main application workspace from an area displaying a currently displayed one of the logical screens in the physically viewable work area to displaying a selected one of the logical screens in the physically viewable work area, of the computer system display the selected area of one of the logical screens being any user selected screen area in the logical main application workspace.

38. (Currently Amended) The method according to claim 37, further comprising logically associating a plurality of sub-application windows with respective ~~locations~~ logical screens within the logical main application workspace, the sub-application windows for displaying content of at least one open sub-application.

39. (Currently Amended) The method according to claim 38, further comprising increasing the number of logical screens when, by user action, one of the sub-application windows is moved to a new location outside the current dimensions of the continuous logical main application workspace.

40. (Previously Presented) The method according to claim 39, wherein logical screens are added in a number that is in excess of that needed to accommodate the new location of the sub-application window.

41. (Currently Amended) The method according to claim 38, further comprising logically associating each sub-application window location with a logical screen of the continuous logical main application workspace in which a majority of the sub-application window is disposed.

42. (Currently Amended) The method according to claim 38, further comprising storing an arrangement of sub-application windows locations disposed within the logical main application workspace.

43. (Original) The method according to claim 42, further comprising retrieving the stored arrangement of sub-application windows.

44. (Currently Amended) The method according to claim 38, further comprising storing a layout of the continuous logical main application workspace including a number and arrangement of logical screens and relative locations of each sub-application window within each logical screen in the continuous logical main application workspace.

45. (Original) The method according to claim 44, further comprising retrieving the stored layout.

46. (Previously Presented) The method according to claim 38, further comprising scaling the continuous logical application workspace and sub-application windows to zoom the application workspace in or out.

47. (Canceled)

48. (Currently Amended) The method according to claim 38, further comprising, upon initiation of one of the sub-application windows, logically associating the sub-application window with a ~~location~~ logical screen within the continuous logical main application workspace identified by user action.

49. (Currently Amended) The method according to claim 48, further comprising providing the user with a user moveable placement means, wherein the ~~location of~~ logical screen associated with a sub-application window within the

continuous logical main application workspace identified by user action corresponds to a logical screen including a location of the placement means relative to the main application workspace.

50. (Previously Presented) The method according to claim 37, wherein the logical screens are contiguously arranged in a matrix.

51. (Canceled)

52. (Currently Amended) The method according to claim 37, further comprising increasing the number of logical screens and a corresponding dimension of the continuous logical main application workspace in accordance with a user action.

53. (Currently Amended) The method according to claim 37, further comprising decreasing the number of logical screens and a corresponding dimension of the continuous logical main application workspace in accordance with a user action.

54. (Currently Amended) The method according to claim 37, further comprising generating a navigation box that includes a representation of the continuous logical main application workspace ~~and~~ including an indication of each logical screen within the workspace.

55. (Previously Presented) The method according to claim 54, wherein the logical screen representations are arranged to have a topography corresponding to a topography of the screens.

56. (Previously Presented) The method according to claim 54, further comprising, in response to user selection of one of the logical screen representations in the navigation box, displaying on the computer system display the corresponding logical screen in the physically viewable work area defined by the main computer application.

57. (Currently Amended) The method according to claim 54, further comprising logically associating a plurality of sub-application windows with respective locations within the continuous logical main application workspace, the sub-application windows for displaying content of at least one sub-application that is associated with the main computer application.

58. (Currently Amended) The method according to claim 57, further comprising logically associating each sub-application window with a logical screen in which a majority of the sub-application window is disposed and displaying an iconic representation of each sub-application window in association with the representation of the logically associated screen.

59. (Currently Amended) The method according to claim 58, further comprising moving a user selected sub-application window from a logically associated screen to another logical screen in response to user initiated movement of the corresponding iconic representation of the sub-application window in the navigation box.

60. (Currently Amended) The method according to claim 58, further comprising displaying information relating to one of the sub-application windows in response to user action in connection with the iconic representation of the one of the sub-application windows in the navigation box.

61. (Previously Presented) The method according to claim 37, further comprising providing a drop down menu from which a user can select one of the plurality of logical screens for display on the computer system display in the physically viewable work area defined by the main computer application.

62. (Currently Amended) The method according to claim 37, further comprising generating a plurality of continuous logical main application workspaces for the main computer application.

63. (Previously Presented) The method according to claim 37, further comprising associating a unique identifying feature with each logical screen.

64. (Original) The method according to claim 63, wherein the unique identifying feature is selected from a background color, a background pattern and a combination thereof.

65-70. (Canceled)

71. (Previously Presented) The method according to claim 49, wherein the placement means is a placement pointer having a position that defines the location of the continuous logical workspace identified by user action.

72. (Previously Presented) The method according to claim 49, wherein the placement means is a placement tool for marking the location of the continuous logical workspace identified by user action.

73. (Previously Presented) The computer-readable medium according to claim 1, further comprising code that, in response to a user input, changes the logical screen that is displayed in the physically viewable work area of the computer system display.

74. (Previously Presented) The method according to claim 37, further comprising receiving a user input and in response to the user input, changing the logical screen that is displayed in the physically viewable work area of the computer system display.

75. (New) A computer-readable medium storing a computer application workspace generation and navigation tool that comprises:

computer code within a main computer application that generates a continuous logical main application workspace that is larger in size than a physically viewable operating system desktop work area displayed on a physical computer system display, the continuous logical main application workspace comprised of a plurality of logical screen areas, wherein:

each logical screen has predetermined dimensions that are coextensive with the physically viewable work area on the physical computer system display such that each logical screen has dimensions that are the same as every other logical screen;

the logical screen are arranged contiguously in predetermined locations in the logical main application workspace such that the logical main application workspace is a single and functionally continuous logical workspace that is larger in size than the physical computer system display used to display the physically viewable work area; and

each logical screen is individually selectable for navigation within the logical main application workspace; and

code that increases the number of logical screens when, by user action, one of the sub-application windows is moved to a new location outside the current dimensions of the continuous logical main application workspace.

76. (New) The computer-readable medium according to claim 75, wherein the code that increases the number of logical screens adds logical screens in a number that is in excess of that needed to accommodate the new location of the sub-application window.

77. (New) A method of generating a computer application workspace by executing a program stored on a computer-readable medium, comprising:

generating within a main computer application that generates a continuous logical main application workspace that is larger in size than a physically viewable operating system desktop work area displayed on a physical computer system display, the continuous logical main application workspace comprised of a plurality of logical screen areas, wherein:

each logical screen has predetermined dimensions that are coextensive with the physically viewable work area on the physical computer system display such that each logical screen has dimensions that are the same as every other logical screen;

the logical screen are arranged contiguously in predetermined locations in the logical main application workspace such that the logical main application workspace is a single and functionally continuous logical workspace that is larger in size than the physical computer system display used to display the physically viewable work area; and

each logical screen is individually selectable for navigation within the logical main application workspace; and

increasing the number of logical screens when, by user action, one of the sub-application windows is moved to a new location outside the current dimensions of the continuous logical main application workspace.

78. (New) The method according to claim 77, wherein increasing the number of logical screens comprises adding logical screens in a number that is in excess of that needed to accommodate the new location of the sub-application window.

79. (New) A computer-readable medium storing a computer application workspace generation and navigation tool that comprises:

computer code within a main computer application that generates a continuous logical main application workspace that is larger in size than a physically viewable

operating system desktop work area displayed on a physical computer system display, the continuous logical main application workspace comprised of a plurality of logical screen areas, wherein:

- each logical screen has predetermined dimensions that are coextensive with the physically viewable work area on the physical computer system display such that each logical screen has dimensions that are the same as every other logical screen;

- the logical screen are arranged contiguously in predetermined locations in the logical main application workspace such that the logical main application workspace is a single and functionally continuous logical workspace that is larger in size than the physical computer system display used to display the physically viewable work area; and

- each logical screen is individually selectable for navigation within the logical main application workspace; and

- computer code that generates a navigation box that includes a representation of the continuous logical main application workspace including an indication of each logical screen within the workspace.

80. (New) The computer-readable medium according to claim 79, wherein the logical screen representations are arranged to have a topography corresponding to a topography of the logical screens.

81. (New) The computer-readable medium according to claim 79, further comprising code that, in response to user selection of one of the screen representations in the navigation box, displays the corresponding screen on the computer system display in the physically viewable work area defined by the main computer application.

82. (New) The computer-readable medium according to claim 79, further comprising code that logically associates a plurality of sub-application windows with

respective locations within the continuous logical main application workspace, the sub-application windows for displaying content of at least one open sub-application.

83. (New) The computer-readable medium according to claim 81, further comprising code that logically associates each sub-application window with a logical screen in which a majority of the sub-application window is disposed and code that displays an iconic representation of each sub-application window in association with the representation of the logically associated screen.

84. (New) The computer-readable medium according to claim 83, further comprising code that moves a user selected sub-application window from a logically associated screen to another logical screen in response to user initiated movement of the corresponding iconic representation of the sub-application window in the navigation box.

85. (New) The computer-readable medium according to claim 83, further comprising code that displays information relating to one of the sub-application windows in response to user action in connection with the iconic representation of the one of the sub-application windows in the navigation box.

86. (New) A method of generating a computer application workspace by executing a program stored on a computer-readable medium, comprising:

generating within a main computer application that generates a continuous logical main application workspace that is larger in size than a physically viewable operating system desktop work area displayed on a physical computer system display, the continuous logical main application workspace comprised of a plurality of logical screen areas, wherein:

each logical screen has predetermined dimensions that are coextensive with the physically viewable work area on the physical computer system display

such that each logical screen has dimensions that are the same as every other logical screen;

the logical screen are arranged contiguously in predetermined locations in the logical main application workspace such that the logical main application workspace is a single and functionally continuous logical workspace that is larger in size than the physical computer system display used to display the physically viewable work area; and

each logical screen is individually selectable for navigation within the logical main application workspace; and

generating a navigation box that includes a representation of the continuous logical main application workspace including an indication of each logical screen within the workspace.

87. (New) The method according to claim 86, wherein the logical screen representations are arranged to have a topography corresponding to a topography of the logical screens.

88. (New) The method according to claim 86, further comprising, in response to user selection of one of the screen representations in the navigation box, displaying the corresponding screen on the computer system display in the physically viewable work area defined by the main computer application.

89. (New) The method according to claim 86, further comprising logically associating a plurality of sub-application windows with respective locations within the continuous logical main application workspace, the sub-application windows for displaying content of at least one open sub-application.

90. (New) The method according to claim 88, further comprising logically associating each sub-application window with a logical screen in which a majority of the sub-application window is disposed and displaying an iconic representation of each

sub-application window in association with the representation of the logically associated screen.

91. (New) The method according to claim 90, further comprising moving a user selected sub-application window from a logically associated screen to another logical screen in response to user initiated movement of the corresponding iconic representation of the sub-application window in the navigation box.

92. (New) The method according to claim 90, further comprising displaying information relating to one of the sub-application windows in response to user action in connection with the iconic representation of the one of the sub-application windows in the navigation box.